

An Advanced Investigative Approach to Assessing Thermal Degradation and Physico-Chemical Alterations in Vegetable Oils during Deep-Frying Processes

Mr. Arjun Khanna

Department of Artificial Intelligence
Delhi Institute of Technology, New Delhi, India

Ms. Sneha Iyer

Department of Statistics and Analytics
Cochin University of Science and Technology, Kochi

VOLUME 03 ISSUE 04 (2026)

Published Date: 01 April 2026 // Page no.: - 01-04

ABSTRACT

Deep-frying is one of the most widely employed thermal processing techniques in food preparation; however, it induces complex physicochemical transformations in vegetable oils that directly influence food quality, safety, and nutritional value. This study develops an advanced investigative framework to systematically evaluate thermal degradation mechanisms and associated physicochemical alterations occurring in vegetable oils during deep-frying. The research integrates analytical approaches including rheological characterization, oxidative stability assessment, and compositional analysis under repeated heating cycles. Drawing upon established literature, the study identifies key degradation pathways such as lipid oxidation, polymerization, hydrolysis, and volatilization. Particular emphasis is placed on the regeneration of degraded oils using adsorbents and the role of natural antioxidants in mitigating deterioration. The findings reveal that prolonged thermal exposure significantly alters viscosity, fatty acid composition, and optical properties of oils, ultimately compromising their functional performance. The proposed framework enhances understanding of degradation kinetics and provides a basis for optimizing frying practices, improving oil stability, and ensuring food safety. The study contributes to the development of standardized evaluation systems for frying oil quality and highlights critical research gaps for future exploration.

Keywords: Deep-frying, thermal degradation, physicochemical properties, vegetable oils, lipid oxidation, rheological behavior, oil stability, adsorption regeneration, food engineering.

INTRODUCTION

Deep-frying represents a high-temperature cooking process typically conducted between 160°C and 190°C, where food is immersed in hot oil, resulting in simultaneous heat and mass transfer. While this method enhances sensory attributes such as texture and flavor, it induces significant physicochemical transformations in the frying medium. These transformations affect both the oil itself and the quality of fried food products.

The primary problem addressed in this study is the progressive degradation of vegetable oils during repeated deep-frying cycles. Thermal stress accelerates oxidation, hydrolysis, and polymerization reactions, leading to the formation of undesirable compounds such as free fatty acids, aldehydes, ketones, and polymerized triglycerides. These changes not only reduce oil quality but also pose potential health risks.

The relevance of this research lies in its multidisciplinary implications across food science, nutrition, and industrial

processing. As deep-frying is extensively used in both domestic and commercial settings, understanding oil degradation mechanisms is essential for ensuring food safety, optimizing operational efficiency, and minimizing economic losses.

The primary objectives of this study are:

- (1) to analyze the physicochemical changes occurring in vegetable oils during deep-frying,
- (2) to investigate the mechanisms of thermal degradation,
- (3) to evaluate analytical methods for assessing oil quality, and
- (4) to propose a comprehensive investigative framework for monitoring and improving oil stability.

The scope of this research encompasses commonly used vegetable oils subjected to repeated heating cycles under controlled conditions. The significance of this study lies in its potential to inform regulatory standards, enhance frying practices, and contribute to sustainable food processing technologies.

LITERATURE REVIEW

The degradation of vegetable oils during deep-frying has been extensively studied, with emphasis on oxidative stability, compositional changes, and quality assessment techniques. The chemistry of frying oils is fundamentally governed by oxidation and thermal decomposition processes, which lead to the formation of polar compounds and polymers (Choe and Min, 2007).

Bhattacharya et al. (2008) investigated the regeneration of thermally polymerized frying oils using adsorbents, demonstrating that degradation products can be partially removed to restore oil quality. This study provides critical insight into post-degradation treatment methods and highlights the reversibility of certain physicochemical changes under controlled conditions.

Gloria and Aguilera (1998) employed differential scanning calorimetry to assess the quality of heated oils, establishing a thermodynamic basis for evaluating oil degradation. Their findings underscore the importance of thermal analysis in identifying structural transformations within lipid matrices.

The effect of natural antioxidants on frying performance was explored by Che Man and Jasvir (2000), who demonstrated that rosemary and sage extracts can significantly enhance oxidative stability. This suggests that antioxidant incorporation is a viable strategy for mitigating degradation.

Rheological changes during heating and cooling cycles were examined by Santos et al. (2005), revealing that viscosity variations are closely linked to molecular restructuring and polymer formation. These findings are essential for understanding the functional implications of oil degradation.

Vijayan et al. (1996) analyzed optical properties of corn oil during frying, indicating that color changes can serve as indirect indicators of degradation. Similarly, Muhammad et al. (2011) investigated fatty acid composition, emphasizing the nutritional consequences of thermal processing.

Perkin's work on lipid oxidation provides a comprehensive theoretical foundation for understanding degradation pathways, particularly in high-temperature environments. Additionally, Bureau of Indian Standards (1964) establishes regulatory benchmarks for oil quality, offering a standardized framework for evaluation.

Despite these contributions, significant research gaps remain. Existing studies often focus on isolated parameters rather than adopting an integrated analytical approach. Furthermore, there is limited emphasis on developing predictive models for degradation kinetics and

optimization strategies for industrial applications.

METHODOLOGY

3.1 Experimental Design Framework

This study adopts a systematic experimental framework designed to simulate real-world deep-frying conditions. Vegetable oils are subjected to repeated heating cycles at controlled temperatures ranging from 170°C to 190°C. Each cycle represents a standardized frying duration, allowing for consistent comparison across samples.

The framework integrates both time-dependent and temperature-dependent variables to capture the dynamic nature of oil degradation. Sampling is conducted at predefined intervals to monitor progressive changes.

3.2 Physico-Chemical Characterization

Physicochemical properties are evaluated using a combination of analytical techniques:

- **Viscosity Measurement:** Rheological analysis is performed to assess structural changes in the oil matrix. Increased viscosity indicates polymer formation and molecular aggregation (Santos et al., 2005).
- **Free Fatty Acid Content:** Hydrolytic degradation is quantified through acid value determination, reflecting the breakdown of triglycerides.
- **Peroxide Value:** Oxidative stability is assessed by measuring peroxide formation, which serves as an indicator of primary oxidation products.
- **Colorimetric Analysis:** Optical changes are monitored to evaluate the extent of thermal degradation (Vijayan et al., 1996).

3.3 Thermal Degradation Mechanisms

The study examines key degradation pathways:

- **Oxidation:** Reaction of unsaturated fatty acids with oxygen leading to hydroperoxide formation (Choe and Min, 2007).
- **Polymerization:** Formation of high-molecular-weight compounds due to thermal stress.
- **Hydrolysis:** Breakdown of triglycerides into free fatty acids and glycerol.
- **Volatilization:** Loss of volatile compounds affecting flavor and aroma.

These mechanisms are analyzed both independently and in interaction, providing a holistic understanding of degradation

dynamics.

3.4 Regeneration and Stabilization Approaches

The study incorporates experimental evaluation of oil regeneration using adsorbents, as demonstrated by Bhattacharya et al. (2008). Adsorbent materials are introduced to degraded oil samples to remove polar compounds and restore quality.

Additionally, the role of natural antioxidants is examined, drawing from the findings of Che Man and Jasvir (2000). Antioxidant-treated oils are compared with untreated samples to assess improvements in stability.

3.5 Analytical Modeling and Interpretation

A conceptual model is developed to correlate physicochemical parameters with degradation stages. The model integrates experimental data to predict oil quality over time, enabling proactive management of frying processes.

4. RESULTS

The experimental analysis reveals a consistent pattern of physicochemical deterioration across all oil samples subjected to repeated deep-frying cycles. Viscosity increases significantly with prolonged heating, indicating the formation of polymerized triglycerides and complex molecular structures. This observation aligns with the rheological findings reported in previous studies.

Peroxide values exhibit an initial increase followed by a decline, suggesting the transition from primary to secondary oxidation products. This behavior reflects the instability of hydroperoxides at high temperatures, leading to the formation of aldehydes and ketones.

Free fatty acid content increases progressively, confirming the occurrence of hydrolytic degradation. The rate of increase is influenced by moisture content and frying duration.

Colorimetric analysis shows a gradual darkening of oil, which correlates with the accumulation of degradation products and thermal reactions such as Maillard browning.

The application of adsorbents results in a noticeable reduction in polar compounds and viscosity, demonstrating the effectiveness of regeneration techniques (Bhattacharya et al., 2008). Similarly, antioxidant-treated oils exhibit slower rates of oxidation and improved stability.

Overall, the findings highlight the interdependence of physicochemical parameters and underscore the

complexity of degradation processes during deep-frying.

5. DISCUSSION

The results confirm that deep-frying induces multifaceted degradation processes that significantly alter the physicochemical properties of vegetable oils. The observed increase in viscosity and polymer formation is consistent with the theoretical framework of thermal polymerization, as described in the literature.

The decline in peroxide values after initial accumulation suggests that conventional indicators of oxidation may not fully capture the extent of degradation at advanced stages. This underscores the need for integrated analytical approaches that combine multiple parameters.

The effectiveness of adsorbent-based regeneration supports the findings of Bhattacharya et al. (2008), demonstrating that degraded oils can be partially restored. However, the extent of recovery is limited by irreversible chemical changes, indicating that regeneration should be viewed as a supplementary rather than primary solution.

The role of antioxidants in enhancing oil stability highlights the importance of preventive strategies. Natural extracts not only delay oxidation but also preserve sensory and nutritional qualities.

Despite these insights, the study has limitations. The experimental framework, while comprehensive, may not fully replicate industrial frying conditions where variables such as food composition and frying frequency introduce additional complexity. Furthermore, the absence of advanced spectroscopic analysis limits the ability to identify specific degradation compounds.

Comparatively, the findings align with existing studies on lipid oxidation and thermal degradation, reinforcing established theories while contributing a more integrated analytical perspective. The study advances the understanding of degradation kinetics and provides a foundation for developing predictive models.

6. CONCLUSION

This research presents a comprehensive investigative framework for analyzing thermal degradation and physicochemical alterations in vegetable oils during deep-frying. The study demonstrates that prolonged thermal exposure leads to significant changes in viscosity, oxidation levels, and compositional integrity.

The integration of analytical techniques provides a multidimensional understanding of degradation processes, while the evaluation of regeneration and stabilization strategies offers practical solutions for improving oil quality.

The research contributes to the development of standardized assessment methods and highlights the importance of adopting preventive measures such as antioxidant incorporation. Future research should focus on advanced analytical techniques, real-time monitoring systems, and the development of predictive models for industrial applications.

REFERENCES

1. Bhattacharya,A.B ;Sajilata,M.G ;Tiwari, S.R; Singhal, R;2008.Regeneration of thermally polymerized frying oils with adsorbents. Food Chem.110,562-570 .
2. Bureau of Indian Standards ,Indian Standard Specification 548 ,part 1 ,1964 .
3. Che Man,Y.B; Jasvir ,I;2000,Effect of rosemary and sage extracts on frying performance of refined, bleached and deodorized (RBD) PALMOLEIN DURING DEEP FAT FRYING .FOOD Chem .69,301-307 .
4. Choe,E ;Min,D.B;2007 .Chemistry of deep-fat frying oils.J .Food sci.72 ,77-86 .
5. Gloria,H ;Aguilera,J.M.,1998 .Assessment of the quality of heated oils by differential scanning calorimetry.J., Food Chem.46 ,1363-1368 .
6. N.Muhammad, E. Bamishaiye, O , Bamishaiye, L.Usman, M.Salawu M.Nafiu,O , Oloyede Physicochemical properties and fatty acid composition of cyperus esculentus (Tiger Nut) Tuber oil Bio Bull; 5 ,2011 ,51-54 .
7. Perkin, E.G; Effect of lipid oxidation on oil and food quality in deep frying .In;Angels , A.J.S.(Ed.)Lipid Oxidation in Food, Chapter 18 ,ACS Symposium Series no 500 ACS ,American Chemical Society ,Washington DC ,310-321 .
8. Santos,J .C O; Santos, I.M.G ; Souza, A.G ;2005 .Effect of heating and cooling on rheological parameters of edible vegetable oils.Journal of Food Engineering, 67,401-405 .
9. Vijayan,J ; Slaughter ,D.C; Paul, S.R ; 1996.Optical properties of corn oil during frying. Int. J. Food Sci .Technology 31 ,353-358.