

Advanced Energy Efficiency Strategies for Digital Buildings with Renewable Power Systems

Sophia Richards

Department of Information Technology,
University of Antigua, St. John's, Antigua and Barbuda

VOLUME 03 ISSUE 06 (2026)

Published Date: 30 June 2026 // Page no.: - 16-25

ABSTRACT

The rapid evolution of digitalization, distributed renewable energy resources, and intelligent power management technologies has transformed the concept of modern buildings from passive energy consumers into active participants within interconnected energy ecosystems. Digital buildings integrated with renewable power systems represent a critical pathway toward improving energy efficiency, reducing carbon emissions, enhancing grid flexibility, and enabling sustainable infrastructure development. This research paper examines advanced energy efficiency strategies for digital buildings by analyzing the integration of smart building technologies, renewable energy systems, energy routers, artificial intelligence-driven optimization, and intelligent grid communication frameworks. The study develops a conceptual and technical framework that combines digital building management systems with renewable power generation and energy Internet architectures to improve operational efficiency and energy coordination.

The research adopts a qualitative analytical methodology based on systematic synthesis of existing studies related to smart grids, energy routers, power routing technologies, renewable energy integration, and AI-based building energy optimization. The theoretical foundation is derived from emerging concepts such as digital grids, energy Internet architectures, solid-state transformers, distributed energy management, and intelligent power flow control. Previous studies have demonstrated that energy routers and advanced power electronic interfaces can enable flexible bidirectional energy exchange between distributed resources, buildings, and utility networks (Xu et al., 2011; Huang et al., 2011). Similarly, smart grid communication frameworks provide the infrastructure required for real-time monitoring, control, and optimization of energy flows (Abe et al., 2011).

The analysis highlights that combining renewable energy systems with digital intelligence creates opportunities for predictive energy management, demand response optimization, improved power quality, and reduced dependency on conventional energy sources. AI-enabled approaches further enhance decision-making capabilities by analyzing consumption patterns, renewable generation variability, and operational conditions to achieve optimized energy performance (Philip, 2026). However, challenges related to interoperability, cybersecurity, investment costs, data management, and technological complexity remain significant barriers to large-scale implementation.

The findings indicate that future digital buildings should be designed as intelligent energy nodes rather than isolated structures. Integration of renewable generation, energy routing technologies, and adaptive control mechanisms can significantly improve energy efficiency while supporting resilient and sustainable power networks. The research contributes a comprehensive framework for understanding how advanced digital energy strategies can accelerate the transition toward low-carbon intelligent buildings and future energy Internet environments.

Keywords: Digital buildings; Energy efficiency; Renewable energy integration; Smart grid; Energy Internet; Energy router; Artificial intelligence; Distributed energy management; Power electronics; Sustainable infrastructure.

INTRODUCTION

The global transition toward sustainable energy systems has accelerated the transformation of conventional buildings into intelligent, interconnected, and energy-responsive environments. Buildings represent a major component of worldwide energy consumption, and

increasing demands for sustainability, operational efficiency, and carbon reduction have created the need for advanced energy management strategies. Traditional buildings generally operate as passive consumers of electricity supplied through centralized grids. However, the emergence of digital technologies, renewable energy resources, and intelligent power management systems has introduced a new paradigm

in which buildings can generate, store, manage, and exchange energy dynamically.

Digital buildings integrate sensing technologies, communication networks, automation platforms, renewable energy systems, and intelligent control algorithms to optimize energy utilization. Unlike traditional energy management approaches based primarily on fixed operational schedules, digital buildings use real-time information processing and adaptive decision-making to respond to changing environmental conditions, user behavior, energy prices, and grid requirements. This transformation aligns with the broader development of smart grids and energy Internet concepts, where distributed energy resources are coordinated through advanced communication and power electronic technologies.

The increasing deployment of renewable energy sources such as photovoltaic systems, wind energy systems, and battery storage technologies has created both opportunities and challenges for building energy management. Renewable energy generation is inherently variable because it depends on environmental conditions. Therefore, effective integration requires advanced control strategies capable of balancing generation, consumption, and storage. Energy routing technologies have emerged as an important solution by enabling flexible energy transfer among multiple sources, loads, and networks. Xu et al. (2011) described energy routers as fundamental components of future energy Internet architectures because they provide intelligent energy conversion, routing, and management capabilities between different energy nodes.

The development of smart grids has further strengthened the relationship between digital buildings and power system operation. Smart grid frameworks enable two-way communication between energy producers, consumers, and infrastructure operators, allowing improved monitoring and coordinated decision-making. Abe et al. (2011) introduced the concept of digital grids based on communicative electrical networks capable of supporting flexible energy exchange and advanced grid control. Such approaches provide the foundation for integrating buildings into larger energy ecosystems where electricity flows are managed dynamically rather than following traditional one-directional models.

A major challenge in renewable-integrated digital buildings is achieving optimal coordination between energy generation, consumption, and storage. Renewable resources may produce excess electricity during certain periods while failing to meet demand during others. Advanced energy management strategies must therefore incorporate forecasting, optimization algorithms, and intelligent control mechanisms. Artificial intelligence has

become increasingly relevant in this area because it enables predictive analysis of energy patterns and automated optimization of building operations. AI-based energy optimization approaches can analyze large-scale operational data to improve energy efficiency, reduce unnecessary consumption, and support renewable energy integration (Philip, 2026).

Energy routers, solid-state transformers, and advanced power electronic converters provide additional capabilities for managing distributed energy systems. The FREEDM system proposed by Huang et al. (2011) introduced the concept of an Energy Internet where power electronic interfaces and communication technologies enable flexible energy exchange among distributed resources. Similarly, solid-state transformers have been investigated as intelligent energy routers capable of performing voltage conversion, power management, and distributed energy coordination (Hambridge et al., 2015).

Despite significant technological progress, several challenges limit the widespread adoption of advanced digital building energy systems. High implementation costs, compatibility issues between different technologies, cybersecurity risks, and the complexity of managing large amounts of operational data remain critical concerns. Additionally, many existing buildings lack the infrastructure required for advanced digital transformation. Therefore, developing comprehensive strategies that combine technical innovation with practical implementation approaches is essential.

This research addresses these challenges by examining advanced energy efficiency strategies for digital buildings integrated with renewable power systems. The primary objectives are to analyze the theoretical foundations of intelligent building energy management, evaluate the role of energy routing and smart grid technologies, investigate AI-based optimization approaches, and develop a conceptual framework for improving building energy performance.

The significance of this research lies in its interdisciplinary approach, connecting building energy management, renewable power systems, digital infrastructure, and smart grid technologies. By understanding the interaction between these domains, future buildings can be developed as active energy participants capable of supporting grid stability, reducing environmental impacts, and improving operational efficiency. The transition from conventional buildings to intelligent energy systems represents an important step toward achieving sustainable and resilient energy infrastructures.

As cloud-enabled building energy platforms become increasingly interconnected, protecting operational and user data has become a critical requirement. Privacy-preserving AI frameworks based on homomorphic encryption and federated deep reinforcement learning enable secure distributed analytics while maintaining data confidentiality across

intelligent energy management systems (Kodela et al., 2025).

LITERATURE REVIEW

Evolution of Digital Energy Systems and Smart Building Concepts

The development of digital energy systems has been strongly influenced by advances in smart grid communication, power electronics, and distributed energy technologies. Traditional electrical systems were designed around centralized generation models, where electricity flowed from large power plants to consumers through transmission and distribution networks. However, the increasing adoption of renewable energy resources has challenged this model by introducing multiple distributed generation points requiring coordinated management.

Abe et al. (2011) proposed the digital grid concept as a future electrical infrastructure based on communication-enabled energy networks. Their research emphasized that advanced communication capabilities are essential for managing complex energy interactions between distributed resources. The digital grid framework provides the theoretical basis for integrating digital buildings into wider energy networks because it enables information exchange and coordinated control.

The Energy Internet concept further expanded this approach by introducing intelligent energy routing mechanisms. Huang et al. (2011) developed the FREEDM system concept, which views future power networks as interconnected energy platforms where distributed resources can exchange electricity efficiently. This approach resembles the operational principles of the Internet, where information packets are managed dynamically; however, in the Energy Internet, energy flows are intelligently controlled.

Energy Router Technologies for Building Energy Management

Energy routers represent one of the most important technological developments supporting renewable-integrated digital buildings. Xu et al. (2011) identified energy routers as multifunctional devices capable of energy conversion, control, communication, and management. Unlike conventional electrical equipment, energy routers allow bidirectional energy movement and provide a mechanism for coordinating renewable sources, storage devices, and building loads.

Kordonis et al. (2015) investigated the three-phase power router and matrix converter operation for smart-grid applications. Their research demonstrated the importance of advanced power electronic systems in

achieving flexible energy conversion and grid interaction. Such technologies are particularly relevant for digital buildings because they allow efficient management of renewable generation and connection with external energy networks.

Miao et al. (2018) further analyzed energy router-based power flow models and their applications in optimizing power system operation. Their work highlighted that accurate modeling of energy flow is essential for achieving efficient operation in networks containing multiple energy resources. For digital buildings, this indicates the need for intelligent algorithms capable of managing complex interactions between photovoltaic generation, storage systems, electrical loads, and grid services.

Renewable Integration and Intelligent Energy Optimization

Renewable energy integration requires advanced optimization strategies because renewable generation patterns are unpredictable. Digital buildings must therefore utilize intelligent monitoring and control systems capable of adapting to changing conditions. AI-based optimization provides significant opportunities by enabling predictive energy management.

Philip (2026) emphasized that AI-based energy optimization approaches can improve renewable energy utilization in smart buildings by integrating data-driven decision-making with energy management processes. AI technologies can support load forecasting, renewable generation prediction, automated scheduling, and operational optimization. These capabilities are particularly valuable in construction and building management contexts where energy efficiency must be considered throughout the lifecycle of infrastructure development.

The integration of AI with renewable energy systems represents a transition from reactive energy management toward predictive and autonomous operation. However, successful implementation requires reliable data collection systems, interoperability between technologies, and appropriate cybersecurity mechanisms.

Research Gaps and Theoretical Positioning

Although existing studies have significantly contributed to smart grids, energy routers, and renewable energy integration, several research gaps remain. Many studies focus primarily on grid-level applications rather than building-level implementation. Additionally, limited research has examined the complete integration of digital building systems, renewable generation, energy routers, and AI optimization within a unified framework.

The literature indicates that future energy systems require closer integration between building management systems and intelligent grid infrastructures. Wang et al. (2018) highlighted

that Energy Internet development depends on architectural coordination, emerging technologies, and advanced management approaches. However, practical frameworks for transforming buildings into intelligent energy nodes remain an important research area.

This research positions digital buildings as critical components of future Energy Internet ecosystems. By synthesizing concepts from smart grids, energy routers, renewable integration, and AI-based optimization, the study develops an integrated perspective on advanced energy efficiency strategies.

METHODOLOGY

Research Design and Analytical Approach

This research adopts a qualitative analytical methodology based on structured synthesis and critical evaluation of existing theoretical and technical contributions related to digital buildings, renewable energy integration, smart grids, energy routers, and intelligent energy optimization. The methodology is designed to investigate how emerging digital energy technologies can improve building-level energy efficiency while supporting broader power system transformation.

The research framework is developed through analysis of the provided literature, focusing on the interaction between four major technological domains: digital building infrastructure, renewable energy systems, intelligent energy routing, and adaptive optimization mechanisms. Rather than evaluating a single technology independently, this study considers digital buildings as integrated energy ecosystems where hardware, communication networks, and intelligent software platforms operate together.

The methodological approach follows a technology-integration perspective. It examines how individual technologies contribute to energy efficiency improvements and how their combined operation can create a more flexible, resilient, and sustainable energy environment. The framework considers energy generation, energy conversion, energy storage, energy distribution, and energy consumption as interconnected processes requiring coordinated management.

The research methodology consists of five analytical stages:

1. Identification of fundamental digital energy concepts and theoretical principles.
2. Evaluation of renewable energy integration mechanisms in digital buildings.
3. Analysis of energy routing and power electronic

technologies.

4. Examination of AI-based optimization and intelligent control strategies.

5. Development of an integrated conceptual framework for advanced energy efficiency.

This methodology allows examination of both technical performance and practical implementation challenges associated with future digital building energy systems.

Conceptual Framework for Advanced Digital Building Energy Management

The proposed framework considers the digital building as an intelligent energy node within an interconnected Energy Internet environment. In this framework, buildings are no longer treated only as electricity consumers; instead, they function as active participants capable of generating renewable energy, storing electricity, optimizing consumption, and exchanging energy with external networks.

The conceptual model consists of six interconnected layers:

Physical Energy Layer

The physical energy layer represents the actual energy generation and consumption infrastructure within the building. It includes renewable energy sources, electrical loads, energy storage systems, and power conversion equipment.

Renewable generation systems such as photovoltaic panels provide locally generated electricity, reducing dependence on external power networks. However, because renewable energy availability changes according to environmental conditions, effective management requires coordination with storage and consumption systems.

Battery energy storage systems provide flexibility by storing excess renewable generation during periods of low demand and supplying electricity during high-demand periods. This capability improves renewable energy utilization and reduces peak energy requirements.

The physical layer also includes smart appliances, HVAC systems, lighting systems, and industrial or commercial equipment. These components represent controllable loads that can participate in demand-side optimization strategies.

Power Conversion and Energy Routing Layer

The energy routing layer represents the technological infrastructure responsible for managing electricity movement between different energy sources and loads. Energy routers, power converters, and solid-state transformers form the foundation of this layer.

Traditional electrical systems were primarily designed for one-way power flow. However, renewable-integrated digital buildings require bidirectional energy exchange because buildings may simultaneously consume electricity from the grid while exporting surplus renewable energy.

Energy routers provide this capability by performing multiple functions, including:

- Voltage conversion between different electrical systems.
- Power flow regulation.
- Renewable energy integration.
- Energy exchange coordination.
- Grid-support functions.

According to Xu et al. (2011), energy routers are essential components of future Energy Internet architectures because they enable intelligent control of energy movement between different network nodes.

The FREEDM system proposed by Huang et al. (2011) provides a theoretical foundation for this approach by introducing an energy management structure where power electronic interfaces operate similarly to intelligent communication routers. Within digital buildings, this concept enables renewable energy sources, storage systems, and external grids to operate as interconnected energy resources rather than isolated components.

Solid-state transformers further enhance this capability by combining voltage transformation with intelligent control functions. Hambridge et al. (2015) demonstrated that solid-state transformers can operate as energy routers capable of supporting economic dispatch and flexible energy management.

Smart Communication and Digital Infrastructure Framework

Energy efficiency in digital buildings depends not only on electrical technologies but also on advanced communication systems. The ability to collect, process, and exchange energy-related information is essential for intelligent decision-making.

The communication framework includes:

- Smart meters.
- Internet-of-Things (IoT) sensors.
- Building management systems.

- Cloud-based energy platforms.
- Real-time monitoring networks.

Digital communication enables continuous measurement of electricity generation, consumption patterns, environmental conditions, and equipment performance. This information provides the foundation for optimization algorithms and automated control.

The digital grid concept proposed by Abe et al. (2011) demonstrates that communication-enabled electrical networks can improve flexibility and coordination. Applying this concept at the building level allows energy systems to respond dynamically to changing conditions.

For example, a digital office building equipped with photovoltaic generation may detect increased solar production during midday hours. The energy management system can automatically prioritize renewable energy use, charge battery storage systems, adjust HVAC operation, or export excess energy to the grid depending on optimization objectives.

However, increased digital connectivity introduces cybersecurity concerns. Energy systems connected through communication networks may become vulnerable to unauthorized access, data manipulation, or operational disruption. Therefore, secure communication protocols and reliable data management strategies are necessary components of future digital building frameworks.

AI-Based Energy Optimization Framework

Artificial intelligence represents a major advancement in building energy management because it enables predictive and adaptive decision-making. Conventional energy management systems typically operate according to predefined rules, while AI-based systems can learn from historical and real-time data to continuously improve performance.

The AI optimization framework consists of four major components:

Data Collection and Processing

AI-based energy management requires extensive operational data, including:

- Historical electricity consumption.
- Renewable energy generation patterns.
- Weather conditions.
- Occupancy information.
- Equipment operating conditions.

Data processing techniques convert raw information into

meaningful patterns that support optimization decisions.

Modern AI-driven energy management platforms increasingly adopt privacy-preserving learning techniques that enable collaborative model training without exposing sensitive operational data. Federated deep reinforcement learning combined with homomorphic encryption enhances both optimization performance and data security in distributed cloud environments (Kodala et al., 2025).

Energy Forecasting

Prediction of future energy conditions is essential for effective management. AI algorithms can forecast:

- Renewable energy availability.
- Future electricity demand.
- Peak consumption periods.
- Storage requirements.

Accurate forecasting allows buildings to prepare energy strategies before changes occur.

Intelligent Scheduling

AI optimization systems can determine the most efficient timing for energy-intensive activities. For example, a commercial building may schedule battery charging when renewable generation is high or electricity prices are low.

Similarly, HVAC systems can adjust operation according to occupancy patterns while maintaining user comfort.

Philip (2026) highlighted that AI-based optimization contributes significantly to improving renewable energy integration in smart buildings by combining predictive analytics with automated energy management processes. Such approaches support more efficient construction and operational decision-making by considering energy performance as an integrated lifecycle objective.

Adaptive Control

Adaptive control allows energy systems to modify their operation according to changing circumstances. Unlike fixed control methods, AI-driven systems continuously analyze performance and adjust strategies.

For instance, if renewable generation decreases unexpectedly due to weather changes, the system may reduce non-critical loads, utilize stored energy, or modify energy exchange with the grid.

Renewable Energy Integration Strategies

Renewable integration represents a central component of digital building energy efficiency. The primary objective is maximizing renewable energy utilization while maintaining reliability and operational stability.

The major strategies include:

Local Renewable Generation Optimization

Digital buildings should prioritize direct utilization of locally generated renewable energy. This reduces transmission losses and decreases dependence on external electricity sources.

Solar photovoltaic systems are particularly suitable for digital buildings because they can be integrated with building surfaces such as rooftops and facades.

However, renewable generation alone cannot guarantee continuous energy availability. Therefore, coordination with storage systems and intelligent energy management is necessary.

Energy Storage Coordination

Energy storage improves renewable energy reliability by balancing generation and demand differences.

A digital building energy management system can implement strategies such as:

- Charging storage during renewable energy surplus.
- Discharging during peak demand.
- Supporting grid stability through controlled energy exchange.

Energy storage also improves economic performance by allowing buildings to reduce electricity consumption during high-cost periods.

Grid Interaction and Demand Response

Future digital buildings are expected to actively participate in demand response programs. Instead of consuming electricity independently, buildings can modify consumption patterns based on grid requirements.

For example, during periods of high grid demand, a building may temporarily reduce non-essential energy consumption or use stored renewable electricity. During periods of excess renewable generation, the building may increase energy usage or store additional electricity.

Energy routers support these interactions by managing bidirectional energy flows between buildings and external networks.

Technical Performance Evaluation Model

To evaluate the effectiveness of advanced energy efficiency strategies, several performance indicators can be considered.

Energy Efficiency Indicator

Energy efficiency measures the relationship between useful energy output and total energy input. Digital optimization aims to reduce unnecessary energy losses while maintaining required operational performance.

Renewable Utilization Ratio

This indicator evaluates the percentage of building energy demand supplied by renewable sources. Higher renewable utilization indicates improved sustainability performance.

Grid Interaction Capability

This measures the ability of buildings to exchange energy dynamically with external networks.

Energy Flexibility Index

Energy flexibility represents the capability of buildings to adjust consumption patterns according to energy availability and grid conditions.

Operational Intelligence Level

This evaluates the sophistication of monitoring, prediction, and automated decision-making capabilities within the building.

Practical Implementation Example

A hypothetical smart commercial building demonstrates the interaction of these technologies.

The building includes rooftop photovoltaic generation, battery storage, smart HVAC systems, IoT monitoring devices, and an AI-based energy management platform. During daylight hours, photovoltaic systems generate electricity that is first supplied to building loads. Excess energy is directed through an energy router to charge storage systems.

The AI platform continuously analyzes occupancy patterns and weather forecasts. If evening electricity demand is predicted to increase, stored renewable energy is reserved for later use. If excess energy remains available, the system exports electricity to the grid.

The energy router manages electrical conversion and ensures safe energy exchange between internal systems and external networks. The building therefore operates as an intelligent energy participant rather than a passive

consumer.

Limitations of the Proposed Framework

Although advanced digital building strategies provide significant benefits, several limitations must be considered.

First, implementation requires substantial investment in sensors, communication infrastructure, renewable generation systems, and power electronic equipment. Existing buildings may require extensive modernization before adopting these technologies.

Second, interoperability remains a challenge because different manufacturers may use incompatible communication protocols and control systems.

Third, AI-based optimization depends heavily on data quality. Poor-quality or incomplete data may reduce prediction accuracy and negatively affect energy management decisions.

Fourth, cybersecurity risks increase as energy systems become more connected. Protecting digital infrastructure is essential for maintaining reliability and user trust.

Finally, regulatory frameworks and market structures may not yet fully support widespread building participation in energy exchange networks.

Despite these challenges, the integration of renewable energy, digital intelligence, and advanced power management technologies provides a promising pathway toward future sustainable buildings.

RESULTS

The analysis of advanced energy efficiency strategies for digital buildings with renewable power systems reveals several significant findings regarding the role of intelligent technologies in transforming building energy management. The first major finding is that digital buildings achieve higher energy efficiency when renewable generation, energy storage, intelligent control systems, and communication technologies are integrated through a unified management framework. Rather than treating renewable energy systems as independent components, successful energy optimization requires coordinated operation between energy generation, consumption, and distribution mechanisms.

The second finding demonstrates that energy routers and advanced power electronic technologies represent critical enabling components for future digital buildings. Conventional electrical infrastructures are limited in their ability to manage bidirectional energy flows created by distributed renewable resources. Energy router architectures provide flexible power conversion, routing, and control capabilities that allow buildings to exchange energy dynamically with external networks. This supports the transition from traditional

consumer-oriented buildings toward active energy nodes within smart grid environments (Xu et al., 2011; Huang et al., 2011).

The third finding indicates that communication-enabled energy management significantly improves operational decision-making. Digital grid concepts emphasize that reliable information exchange between energy components is essential for achieving coordinated system operation (Abe et al., 2011). In digital buildings, real-time monitoring allows energy systems to respond to changes in renewable availability, occupancy patterns, and electricity demand. This creates opportunities for improved demand response, reduced energy waste, and enhanced grid flexibility.

The fourth finding relates to the contribution of artificial intelligence in improving renewable energy utilization. AI-based optimization enables predictive analysis of energy consumption and generation patterns, allowing automated decisions regarding energy storage, load scheduling, and grid interaction. As highlighted by Philip (2026), AI-based energy optimization can strengthen renewable integration by combining data-driven forecasting with intelligent operational management.

The findings also identify several limitations affecting large-scale adoption. High infrastructure costs, technology integration complexity, cybersecurity risks, and the requirement for high-quality operational data remain significant barriers. These challenges indicate that technological development alone is insufficient; successful implementation requires coordinated strategies involving infrastructure planning, digital security, regulatory support, and lifecycle-based building management.

Overall, the results demonstrate that advanced energy efficiency strategies for digital buildings depend on the convergence of renewable energy technologies, intelligent algorithms, power electronic systems, and communication frameworks. The most effective approach is not a single technological solution but an integrated energy ecosystem capable of continuous monitoring, prediction, and adaptive optimization.

DISCUSSION

The findings of this research indicate that the future of building energy management depends on the transformation of buildings from passive electricity consumers into intelligent and interactive energy systems. This transformation is consistent with the development of Energy Internet concepts, where distributed resources are connected through advanced communication and power management technologies.

A key theoretical implication is that digital buildings

should be considered as components of a larger energy network rather than isolated structures. Previous research on energy Internet architectures demonstrated that future energy systems require flexible interaction among distributed generation sources, storage systems, and consumers (Wang et al., 2018). The integration of energy routers, smart communication systems, and AI-based optimization provides the technical foundation for achieving this vision.

The analysis also highlights the importance of power electronic technologies in enabling renewable energy integration. Energy routers and solid-state transformers provide capabilities beyond conventional electrical equipment by supporting bidirectional energy flow, intelligent conversion, and coordinated energy management. Studies on power routers and solid-state transformer-based energy routing demonstrate that advanced conversion technologies are essential for managing complex energy networks (Kordonis et al., 2015; Hambridge et al., 2015).

However, the transition toward intelligent digital buildings involves several trade-offs. Higher levels of automation and connectivity improve energy efficiency but also increase system complexity. The dependence on digital communication networks creates additional cybersecurity requirements. Similarly, AI-based optimization improves decision-making but requires extensive data collection, raising concerns regarding data management, privacy, and system reliability.

These challenges can be addressed through privacy-preserving AI architectures that combine encrypted computation with federated learning, allowing intelligent optimization while ensuring secure data sharing among distributed cloud-based building management systems (Kodala et al., 2025).

Another important consideration is economic feasibility. Although advanced energy efficiency strategies can reduce long-term operational costs, initial investment requirements may prevent widespread implementation, particularly in existing buildings requiring significant infrastructure upgrades. Therefore, future deployment strategies must consider lifecycle economic analysis rather than focusing only on short-term installation costs.

The integration of AI technologies represents a significant advancement, but AI should be viewed as a supporting mechanism rather than a complete replacement for engineering-based energy management principles. Effective digital building systems require collaboration between artificial intelligence, electrical engineering, building science, and operational management. Philip (2026) emphasizes that AI-based energy optimization becomes more effective when integrated with broader project management and renewable energy planning approaches.

The literature comparison shows that previous research has primarily focused on individual technological components,

such as smart grids, energy routers, or renewable integration mechanisms. This research contributes by emphasizing the importance of combining these technologies into an integrated digital building framework. Such integration provides a pathway toward more adaptive, resilient, and sustainable energy infrastructures.

CONCLUSION

The transformation of conventional buildings into digital, renewable-integrated energy systems represents a major advancement in sustainable infrastructure development. This research examined advanced energy efficiency strategies by analyzing the interaction between digital building technologies, renewable energy systems, energy routers, smart grid communication, and artificial intelligence-based optimization.

The study demonstrates that achieving high energy efficiency requires an integrated approach rather than isolated technological improvements. Renewable energy systems provide sustainable power generation, but their effectiveness depends on intelligent management strategies capable of balancing variable generation with dynamic energy demand. Energy routers, solid-state transformers, and advanced power conversion technologies provide the necessary infrastructure for flexible energy exchange and intelligent power management.

The research also establishes that digital communication and AI-based optimization are essential components of future building energy systems. Real-time monitoring, predictive analysis, and adaptive control enable buildings to respond efficiently to changing operational conditions. AI-based strategies enhance renewable energy utilization by improving forecasting accuracy, optimizing energy scheduling, and supporting automated decision-making.

Despite these advantages, several challenges remain. High implementation costs, interoperability issues, cybersecurity concerns, and regulatory limitations must be addressed before widespread adoption can occur. Future research should focus on developing standardized digital energy architectures, improving AI reliability, enhancing cybersecurity frameworks, and creating economically viable implementation models.

The contribution of this research is the development of a comprehensive perspective on digital building energy efficiency, where buildings function as intelligent energy nodes within interconnected renewable power networks. The combination of renewable resources, advanced power electronics, digital communication, and intelligent optimization provides a foundation for future sustainable energy systems.

Future digital buildings are expected to become active participants in energy ecosystems, contributing not only to reduced energy consumption but also to grid stability, renewable integration, and environmental sustainability. Continued innovation in energy Internet technologies and intelligent management systems will play a critical role in achieving this transition.

REFERENCES

1. A. Kordonis, R. Takahashi, D. Nishihara, and T. Hikihara, "The three-phase power router and its operation with matrix converter toward smart-grid applications," *Energies*, vol. 8, no. 4, pp. 3034–3046, Apr. 2015.
2. R. Abe, H. Taoka, and D. McQuilkin, "Digital grid: Communicative electrical grids of the future," *IEEE Trans. Smart Grid*, vol. 2, no. 2, pp. 399–410, Jun. 2011.
3. A. Q. Huang, M. L. Crow, G. T. Heydt, J. P. Zheng, and S. J. Dale, "The future renewable electric energy delivery and management (FREEDM) system: The energy Internet," *Proc. IEEE*, vol. 99, no., pp. 133–148, Jan. 2011.
4. S. Hambridge, A. Q. Huang, and R. Yu, "Solid state transformer (SST) as an energy router: Economic dispatch based energy routing strategy," in *Proc. IEEE Energy Convers. Congr. Expo. (ECCE)*, Montreal, QC, Canada, Sep. 2015, pp. 2355–2360.
5. A. Luo, Q. Xu, F. Ma, and Y. Chen, "Overview of power quality analysis and control technology for the smart grid," *J. Mod. Power Syst. Clean Energy*, vol. 4, no. 1, pp. 1–9, Jan. 2016.
6. Kodela, S., Mirza, M. H., Banerjee, V., & Harshavardhanan, P. (2025, November). Privacy-Preserving Cloud Finance Architecture Integrating Homomorphic Encryption with Federated Deep Reinforcement Learning. In *2025 IEEE 7th International Conference on Cybernetics, Cognition and Machine Learning Applications (ICCCMLA)* (pp. 1-6). IEEE.
7. J. Miao, N. Zhang, C. Kang, J. Wang, Y. Wang, and Q. Xia, "Steady-state power flow model of energy router embedded AC network and its application in optimizing power system operation," *IEEE Trans. Smart Grid*, vol. 9, no. 5, pp. 4828–4837, Sep. 2018.
8. Philip, P. G. (2026). AI-Based Energy Optimization in Smart Buildings with Renewable Energy Integration: A Construction Project Management Perspective. *The American Journal of Engineering and Technology*, 8(06), 26–37.
<https://doi.org/10.37547/tajet/Volume08Issue06-01>

9. K. Wang, J. Yu, Y. Yu, Y. Qian, D. Zeng, S. Guo, Y. Xiang, and J. Wu, "A survey on energy Internet: Architecture, approach, and emerging technologies," *IEEE Syst. J.*, vol. 12, no. 3, pp. 2403–2416, Sep. 2018.
10. Y. Xu, J. Zhang, W. Wang, A. Juneja, and S. Bhattacharya, "Energy router: Architectures and functionalities toward energy Internet," in *Proc. IEEE Int. Conf. Smart Grid Commun.*, Brussels, Belgium, Oct. 2011, pp. 31–36.