

Intelligent Neural Computing Architecture for Integrating EEG Analytics with Human Brain Function Optimization

Dr. Fahim Rahman

Department of Artificial Intelligence and Robotics,
Dhaka Institute of Computational Research, Bangladesh

Dr. Nusrat Jahan

Department of Deep Learning Technologies,
Chittagong Center for AI Innovation, Bangladesh

VOLUME 03 ISSUE 08 (2026)

Published Date: 09 August 2026 // Page no.: - 07-14

ABSTRACT

The convergence of artificial intelligence, computational neuroscience, and electroencephalography (EEG) analytics has created new possibilities for understanding, modeling, and optimizing human brain functions through intelligent computational systems. This research presents an intelligent neural computing architecture that integrates EEG-based signal analysis with computational learning mechanisms to enhance interpretation of neural activities and support adaptive brain function optimization. The proposed conceptual architecture combines neural data acquisition, preprocessing, feature extraction, machine learning-driven pattern recognition, and cognitive optimization modules within an integrated framework. The study analyzes the theoretical relationship between artificial intelligence-based neural modeling and computational neuroscience while examining how intelligent systems can replicate, interpret, and enhance aspects of human brain processing. Existing research highlights the importance of artificial intelligence in medical intelligence systems, artificial brain modeling, and computational neuroscience integration; however, challenges remain in achieving robust neural representation, adaptive learning, and personalized optimization. This research identifies the potential of EEG-integrated neural computing architectures to improve cognitive assessment, neurological analysis, and intelligent healthcare applications. The findings indicate that combining EEG analytics with advanced computational models can establish a scalable pathway toward more accurate brain-function interpretation while addressing limitations related to complexity, biological variability, and computational transparency.

Keywords: Artificial Intelligence; Computational Neuroscience; EEG Analytics; Neural Computing Architecture; Brain Function Optimization; Machine Learning; Cognitive Modeling; Intelligent Healthcare

INTRODUCTION

Background

Human brain activity represents one of the most complex biological information-processing systems, involving dynamic interactions among billions of neurons, electrical signals, cognitive mechanisms, and adaptive responses. Computational neuroscience has emerged as an interdisciplinary field attempting to understand these processes through mathematical modeling, computational simulation, and artificial intelligence-based analytical techniques. Recent developments in artificial intelligence have expanded the capability of computational systems to analyze complex biological signals, enabling advanced approaches for interpreting neural activities and developing intelligent brain-inspired architectures.

Electroencephalography (EEG) provides a non-invasive

mechanism for capturing electrical activity generated by neural interactions. However, the complexity, variability, and high-dimensional characteristics of EEG signals create significant analytical challenges. Traditional signal processing methods often struggle to identify hidden neural patterns, whereas intelligent computational approaches provide opportunities for automated feature learning, adaptive classification, and predictive analysis. The integration of EEG analytics with neural computing architectures represents an emerging direction for developing systems capable of understanding brain states and supporting cognitive optimization.

Artificial intelligence-based medical and computational systems have demonstrated increasing relevance in intelligent diagnostics, decision support, and biological information analysis. Akhtar (2025) emphasized that artificial intelligence within medical diagnostics enables multi-domain disease analysis through intelligent computational approaches, demonstrating the potential of AI systems to transform

healthcare decision-making. Similarly, AI-driven medical architectures incorporating electronic health records and intelligent segmentation approaches indicate the importance of structured computational frameworks for improving biomedical intelligence (Akhtar, 2024).

The development of artificial human brain models further establishes the theoretical foundation for integrating computational intelligence with biological cognition. Machine learning and neural mapping approaches provide mechanisms for representing brain-inspired computational structures, supporting the development of artificial systems capable of adaptive information processing (Akhtar & Rozario, 2020). Computational neuroscience increasingly acts as a bridge between artificial intelligence, biological modeling, and large-scale data analysis, enabling deeper exploration of neural mechanisms and intelligent computational representations (Verzelli et al., 2024).

Problem Statement

Although EEG-based analysis has significant potential for understanding brain functions, several limitations restrict its practical implementation. EEG signals contain substantial noise, individual variability, temporal instability, and complex relationships between observed electrical patterns and cognitive states. Existing computational models frequently lack sufficient adaptability to accommodate personalized neural characteristics. Furthermore, many intelligent systems operate as isolated analytical tools rather than integrated architectures capable of continuous learning and optimization.

Another major challenge involves translating computational predictions into meaningful interpretations of human brain functions. While machine learning models can detect patterns within neural data, their decision-making processes often remain difficult to interpret. This creates concerns regarding reliability, transparency, and practical adoption in neuroscience and healthcare environments.

Therefore, there is a need for an integrated intelligent neural computing architecture that combines EEG analytics, computational modeling, and optimization mechanisms to provide adaptive and interpretable analysis of brain functions.

Research Relevance

The integration of EEG analytics with intelligent computational architectures has significant relevance across neuroscience research, healthcare technology, cognitive assessment, and human-machine interaction. Computational neuroscience research increasingly depends on artificial intelligence techniques to analyze

complex neural datasets and develop predictive models capable of representing biological processes (Verzelli et al., 2024). By combining EEG analysis with intelligent neural computing, researchers can move beyond conventional signal interpretation toward adaptive systems capable of identifying cognitive patterns and optimizing computational responses.

The proposed research direction is also aligned with the broader development of AI-enabled healthcare systems. Intelligent medical architectures demonstrate how artificial intelligence can integrate multiple information sources, perform advanced analysis, and support improved decision-making processes (Akhtar, 2024). Extending these concepts toward brain-function optimization provides opportunities for developing personalized neural intelligence systems.

Objectives

The primary objectives of this research are:

1. To develop a conceptual intelligent neural computing architecture integrating EEG analytics with computational intelligence techniques.
2. To analyze the relationship between EEG-based neural information processing and artificial intelligence-driven cognitive modeling.
3. To examine computational mechanisms for feature extraction, neural pattern recognition, and brain-function optimization.
4. To identify challenges and future opportunities associated with intelligent EEG-based computational systems.

Scope and Significance

This research focuses on the theoretical design and analytical evaluation of an intelligent neural computing architecture for EEG-based brain-function optimization. The scope includes neural data processing, artificial intelligence integration, computational modeling, and adaptive optimization strategies.

The significance of this work lies in establishing a structured perspective for combining computational neuroscience principles with intelligent technologies. Such architectures may contribute to future developments in neurological assessment systems, cognitive enhancement technologies, and personalized healthcare platforms.

LITERATURE REVIEW

Artificial Intelligence and Computational Medical Intelligence

Artificial intelligence has become an important computational foundation for analyzing complex biomedical information. Akhtar (2025) explored the role of artificial intelligence in

medical diagnostics and highlighted how intelligent systems can support multi-disease analysis through automated computational reasoning. The study demonstrates that AI-based healthcare models can transform traditional diagnostic workflows by enabling data-driven decision-making.

Similarly, Akhtar (2024) proposed an artificial intelligence-based medical system architecture integrating electronic health records and priority segmentation techniques. This research emphasizes the importance of structured computational frameworks that organize complex medical information and improve analytical efficiency. The principles presented in this work provide a foundation for developing intelligent neural architectures where EEG signals can be processed through systematic computational pipelines.

However, medical AI systems primarily focus on diagnostic improvement, whereas EEG-integrated neural computing requires deeper modeling of biological processes. The challenge is not only detecting abnormalities but also understanding dynamic neural interactions and optimizing brain-related computational outcomes.

Artificial Brain Modeling and Neural Mapping Approaches

The development of artificial brain models represents a significant advancement toward computational representation of human intelligence. Akhtar and Rozario (2020) investigated an artificial human brain design approach based on machine learning and neural mapping. Their research highlights the possibility of representing biological intelligence through computational structures capable of learning and adapting.

The theoretical contribution of artificial brain modeling is essential for EEG-based intelligent architectures because EEG signals represent external measurements of internal neural activity. Effective interpretation requires computational models capable of connecting signal patterns with meaningful neural representations. Machine learning-based neural mapping provides a pathway for constructing such relationships.

Nevertheless, artificial brain approaches face limitations due to the complexity of human cognition. Biological neural systems involve nonlinear interactions, emotional influences, memory mechanisms, and contextual adaptation that remain difficult to fully reproduce computationally.

Computational Neuroscience as a Bridge Between AI and Neural Data

Verzelli et al. (2024) emphasized that computational

neuroscience functions as an interdisciplinary bridge connecting artificial intelligence, mathematical modeling, and biological data analysis. This perspective is highly relevant for EEG-integrated systems because it highlights the necessity of combining computational techniques with neuroscience principles.

The integration of computational neuroscience enables researchers to move beyond simple signal classification toward understanding neural mechanisms. Intelligent neural architectures require both data-driven learning and theoretical biological modeling to achieve meaningful brain-function optimization.

Asif et al. (2025) discussed recent advancements in computational neuroscience, demonstrating the growing importance of computational approaches for analyzing neural systems. Their contribution reflects the increasing shift toward intelligent methodologies capable of processing complex neurological information.

Research Gap and Theoretical Positioning

Although existing studies provide valuable contributions in artificial intelligence, medical intelligence, artificial brain modeling, and computational neuroscience, a comprehensive architecture integrating EEG analytics with brain-function optimization remains insufficiently explored within the provided literature.

Current research demonstrates three important directions: intelligent healthcare systems, artificial neural representation, and computational neuroscience integration. However, these approaches require further synthesis into an architecture capable of combining EEG signal interpretation, adaptive learning, and optimization mechanisms.

The proposed intelligent neural computing architecture addresses this gap by positioning EEG analytics as a computational interface between biological neural activity and artificial intelligence systems. It extends previous concepts of AI-driven medical intelligence (Akhtar, 2024; Akhtar, 2025), artificial brain modeling (Akhtar & Rozario, 2020), and computational neuroscience integration (Verzelli et al., 2024) toward a unified framework for intelligent brain-function optimization.

METHODOLOGY

3.1 Proposed Intelligent Neural Computing Architecture Framework

This research proposes an intelligent neural computing architecture designed to integrate EEG analytics with human brain function optimization through a multi-layer computational framework. The architecture is conceptualized as a hierarchical system consisting of five primary layers: EEG data acquisition, neural signal preprocessing, intelligent

feature representation, adaptive computational modeling, and optimization-driven feedback mechanisms.

The fundamental principle of this architecture is that EEG signals should not be treated only as isolated biomedical measurements but as dynamic representations of neural activity requiring continuous interpretation. The proposed framework combines computational neuroscience concepts with artificial intelligence methodologies to create an adaptive system capable of learning from neural patterns and improving analytical performance.

The architecture follows the theoretical foundation that intelligent computational systems can approximate aspects of human neural processing through machine learning, neural mapping, and adaptive optimization. Previous research on artificial human brain development demonstrated the importance of computational representations and neural mapping techniques for creating intelligent systems inspired by biological cognition (Akhtar & Rozario, 2020). Extending this concept, the proposed architecture uses EEG signals as input information for computational modeling and brain-state optimization.

The complete architecture contains the following functional modules:

3.1.1 EEG Data Acquisition Layer

The first layer focuses on collecting neural activity data through EEG measurement systems. EEG recordings provide temporal information regarding electrical fluctuations generated by neuronal interactions. However, raw EEG data contain artifacts caused by environmental interference, physiological movements, and individual differences.

Therefore, the acquisition layer is designed to support continuous and personalized neural monitoring. Unlike conventional analytical systems that rely on fixed datasets, the proposed architecture emphasizes adaptive data collection, enabling the system to incorporate changing neural patterns over time.

This approach aligns with the broader concept of intelligent healthcare architectures where multiple sources of complex information are systematically integrated to improve computational accuracy (Akhtar, 2024). Similar principles can be applied to EEG environments where neural information requires structured organization before intelligent analysis.

3.1.2 Neural Signal Preprocessing and Enhancement Module

EEG preprocessing represents a critical stage because the

quality of neural interpretation depends significantly on signal reliability. The proposed framework incorporates filtering, artifact removal, normalization, and signal enhancement mechanisms before computational analysis.

The preprocessing module transforms raw EEG recordings into structured neural representations. This transformation improves the ability of artificial intelligence models to identify meaningful patterns while reducing irrelevant variations.

From a computational neuroscience perspective, preprocessing acts as a bridge between biological neural activity and artificial computational representation. The process enables machine learning models to analyze neural characteristics while maintaining relationships with underlying brain functions.

A major challenge in this stage is maintaining a balance between noise reduction and information preservation. Excessive filtering may remove important neural characteristics, while insufficient preprocessing can negatively influence model performance. Therefore, adaptive preprocessing strategies are essential for reliable EEG-based optimization systems.

3.1.3 Intelligent Feature Extraction and Neural Representation Layer

The third layer focuses on converting processed EEG signals into meaningful computational features. Traditional EEG analysis methods generally depend on manually selected characteristics, whereas intelligent neural computing architectures employ automated feature learning mechanisms.

Machine learning-based feature extraction allows systems to discover hidden relationships within neural signals. These representations may include temporal patterns, frequency-based characteristics, and complex neural interactions.

The concept of neural representation is strongly connected with artificial brain modeling approaches. Akhtar and Rozario (2020) demonstrated that machine learning and neural mapping can support the creation of computational models inspired by human brain processes. Similarly, the proposed framework applies neural representation principles to EEG analytics by transforming electrical activity into computationally interpretable patterns.

However, automated feature learning introduces challenges related to explainability. Complex models may achieve high predictive performance while providing limited understanding of why specific neural patterns influence decisions. Therefore, future implementations require transparent computational mechanisms.

3.2 Adaptive Neural Computing and Optimization Model

The central component of the proposed architecture is an

adaptive neural computing model responsible for analyzing EEG-derived representations and generating optimization strategies. This layer integrates artificial intelligence techniques with computational neuroscience principles.

The model operates through three major computational processes:

Pattern Recognition

The first process identifies relationships between EEG patterns and corresponding brain states. Intelligent algorithms analyze complex neural variations and determine meaningful computational structures.

This capability extends the role of artificial intelligence from simple classification toward deeper neural interpretation. Artificial intelligence-based diagnostic systems demonstrate that computational models can process complex biomedical information and provide analytical insights (Akhtar, 2025).

Cognitive State Modeling

The second process develops computational representations of cognitive conditions. Instead of treating EEG signals as static data points, the proposed architecture models brain activity as a continuously changing system.

Computational neuroscience provides the theoretical basis for this approach by connecting biological processes with mathematical and computational models. Verzelli et al. (2024) highlighted the importance of computational neuroscience as an integration point between artificial intelligence, modeling approaches, and neural data analysis.

Optimization Feedback Mechanism

The final process involves generating adaptive responses based on detected neural patterns. The optimization module evaluates computational outputs and modifies system parameters to improve future performance.

For example, in a hypothetical cognitive training application, the system could analyze EEG patterns associated with concentration levels and adapt training parameters according to individual neural responses. In healthcare environments, the same mechanism could support personalized monitoring by identifying changes in neural activity patterns.

3.3 Integrated Neural Intelligence Model

The proposed integrated neural intelligence model combines biological understanding and computational

learning within a unified framework. The model can be represented conceptually as:

EEG Input → Signal Enhancement → Neural Feature Learning → AI-Based Modeling → Cognitive Optimization → Adaptive Feedback

Each stage contributes to transforming raw neural information into actionable computational intelligence.

The theoretical foundation of this model is based on the assumption that intelligent systems should not only analyze neural data but also continuously improve through adaptive learning. This perspective reflects the transition from traditional computational analysis toward self-optimizing neural intelligence.

The model also extends existing AI healthcare frameworks by applying similar intelligent processing principles to brain-function optimization. While previous AI medical systems focus mainly on diagnosis and decision support (Akhtar, 2024; Akhtar, 2025), the proposed architecture emphasizes continuous neural adaptation and cognitive modeling.

3.4 Technical Functional Analysis

The functionality of the proposed architecture can be evaluated through four major dimensions:

Data Intelligence

The system improves neural data interpretation by converting complex EEG signals into structured computational representations. Intelligent processing reduces dependency on manual analysis and enables large-scale neural evaluation.

Adaptive Learning Capability

Unlike static analytical models, the architecture continuously updates its understanding of neural patterns. Adaptive learning allows personalization because brain activity differs significantly among individuals.

Computational Transparency

A significant limitation of intelligent neural systems is interpretability. High-performance models may produce accurate results but remain difficult to understand. Therefore, transparent AI mechanisms are necessary to ensure reliability in practical neuroscience applications.

Scalability and Integration

The architecture is designed to support integration with healthcare platforms, cognitive assessment systems, and future human-machine interaction technologies. Computational neuroscience research indicates that interdisciplinary integration is essential for advancing

intelligent neural systems (Verzelli et al., 2024).

3.5 Hypothetical Application Scenarios

The proposed architecture can support several potential applications.

In neurological monitoring, EEG-based intelligent systems could continuously evaluate brain activity patterns and assist professionals in identifying abnormal neural changes. AI medical architectures demonstrate the effectiveness of structured computational approaches for improving healthcare analysis (Akhtar, 2024).

In cognitive optimization environments, the framework could personalize learning or training processes by analyzing neural responses and adjusting computational recommendations. Such applications represent an extension of artificial brain modeling concepts toward practical adaptive intelligence.

In future intelligent healthcare systems, EEG-integrated architectures may contribute to personalized brain-function assessment by combining neural data analytics with predictive computational models.

3.6 Methodological Limitations

Although the proposed architecture provides a comprehensive conceptual framework, several limitations must be considered. First, EEG signals represent indirect measurements of neural activity and cannot completely capture the complexity of human cognition. Second, individual differences create challenges for developing universally applicable models.

Additionally, computational models may face limitations related to data availability, algorithmic bias, and interpretability. Artificial intelligence systems require carefully designed validation processes to ensure reliable outcomes.

The advancement of computational neuroscience depends on maintaining a balance between biological realism and computational efficiency. Asif et al. (2025) emphasized the continuing evolution of computational neuroscience methodologies, indicating that future research must address both theoretical and practical challenges.

RESULTS

The analysis of the proposed intelligent neural computing architecture demonstrates that integrating EEG analytics with artificial intelligence-driven computational models can provide a more comprehensive approach for understanding and optimizing human brain functions. The findings indicate that the effectiveness of such systems depends on the interaction between accurate

neural data processing, adaptive learning mechanisms, and computational modeling strategies.

The first major finding is that EEG-based intelligent architectures can transform complex neural signals into structured computational information. Traditional EEG analysis approaches often focus on identifying specific signal characteristics, whereas the proposed architecture emphasizes continuous learning and adaptive interpretation. By combining signal preprocessing, intelligent feature extraction, and neural representation techniques, the framework provides a pathway for converting biological activity into meaningful computational patterns.

The second finding relates to the importance of artificial intelligence integration within computational neuroscience. The reviewed literature indicates that AI-based systems have demonstrated strong capabilities in handling complex biomedical information and supporting intelligent decision-making processes (Akhtar, 2024; Akhtar, 2025). Extending these principles to EEG analytics enables the development of systems that are not limited to detection but can also support predictive analysis and optimization of brain-related functions.

A significant outcome of the proposed architecture is the establishment of a connection between artificial neural modeling and real-time brain analysis. Previous research on artificial human brain development highlighted the importance of machine learning and neural mapping approaches for creating computational representations of biological intelligence (Akhtar & Rozario, 2020). The proposed framework expands this concept by positioning EEG data as a direct input mechanism for adaptive neural computing.

Another important finding is that computational neuroscience provides the theoretical foundation required for developing reliable intelligent neural systems. The field connects biological understanding, mathematical modeling, and artificial intelligence, allowing researchers to examine neural processes from multiple computational perspectives (Verzelli et al., 2024). The proposed architecture reflects this interdisciplinary approach by combining neuroscience concepts with intelligent computational mechanisms.

The analysis also identifies several performance factors influencing EEG-integrated systems. Data quality, personalization, model adaptability, and computational transparency are essential for practical implementation. While advanced AI models can identify complex neural patterns, limitations in interpretability may affect their acceptance in clinical and research environments.

Overall, the findings suggest that intelligent neural computing architectures represent a promising direction for future brain-function optimization systems. However, successful implementation requires continuous improvement in computational modeling, neural signal interpretation, and

ethical considerations related to intelligent healthcare technologies.

DISCUSSION

The integration of EEG analytics with intelligent neural computing represents a significant advancement in the relationship between artificial intelligence and computational neuroscience. The proposed architecture demonstrates that brain-function optimization requires more than conventional signal processing; it requires a dynamic computational framework capable of learning, adapting, and interpreting neural information.

From a theoretical perspective, the architecture contributes to computational neuroscience by extending the role of artificial intelligence from analytical support toward active neural modeling. Previous studies have shown that artificial intelligence can improve medical information processing and diagnostic capabilities (Akhtar, 2025). However, brain-function optimization introduces additional complexity because the objective is not only identifying conditions but also understanding and influencing adaptive neural processes.

The findings support the argument that intelligent neural systems require interdisciplinary integration. Computational neuroscience provides biological and mathematical foundations, while artificial intelligence contributes advanced learning and pattern recognition capabilities. Verzelli et al. (2024) emphasized the importance of computational neuroscience as a bridge between AI, modeling, and neural data analysis. The proposed framework follows this perspective by combining neural signal interpretation with computational optimization mechanisms.

A practical implication of this architecture is its potential contribution to personalized healthcare and cognitive assessment. AI-based medical frameworks demonstrate that intelligent systems can organize complex information and provide enhanced analytical capabilities (Akhtar, 2024). Similarly, EEG-integrated architectures may support individualized brain monitoring by adapting computational models according to personal neural characteristics.

However, several trade-offs must be considered. Higher computational complexity may improve analytical accuracy but can increase resource requirements and reduce system transparency. Deep learning-based models may discover hidden neural patterns, yet their decision-making processes often remain difficult to interpret. For applications involving human cognition and healthcare, explainability becomes a critical requirement.

Another limitation involves the biological complexity of the human brain. Artificial computational models can

approximate certain aspects of neural activity but cannot completely reproduce the full range of cognitive processes. Emotional states, environmental influences, memory mechanisms, and individual differences create challenges that cannot be fully addressed through computational analysis alone.

The proposed architecture also raises questions regarding data reliability and ethical management. EEG information represents sensitive biological data, requiring appropriate privacy protection and responsible usage. Future implementations must consider secure data management, transparent algorithms, and appropriate validation procedures.

Compared with existing literature, this research provides a broader integration perspective. Akhtar (2024) and Akhtar (2025) focused on AI applications in medical intelligence, demonstrating the value of structured computational approaches. Akhtar and Rozario (2020) explored artificial brain modeling through machine learning and neural mapping. Verzelli et al. (2024) examined computational neuroscience as an interdisciplinary domain. The present research combines these perspectives into an integrated architecture focused specifically on EEG analytics and brain-function optimization.

Future development should focus on improving adaptive learning mechanisms, integrating multimodal neural information, and developing explainable AI models. Such improvements could enhance reliability and expand applications across neuroscience research, healthcare, and intelligent human-computer interaction.

CONCLUSION

This research presented an intelligent neural computing architecture for integrating EEG analytics with human brain function optimization. The proposed framework establishes a conceptual connection between artificial intelligence, computational neuroscience, neural signal processing, and adaptive optimization. By integrating EEG acquisition, preprocessing, intelligent feature learning, computational modeling, and feedback mechanisms, the architecture provides a structured approach for analyzing and optimizing brain-related functions.

The study highlights that artificial intelligence can significantly enhance computational neuroscience by enabling advanced neural representation, adaptive learning, and predictive analysis. Existing research demonstrates the growing importance of AI-driven medical systems, artificial brain modeling, and computational neuroscience integration (Akhtar, 2024; Akhtar, 2025; Akhtar & Rozario, 2020; Verzelli et al., 2024). Building upon these foundations, the proposed framework extends intelligent computation toward personalized brain-function optimization.

The major contribution of this research is the development of

an integrated perspective where EEG analytics serves as a computational interface between biological neural activity and artificial intelligence systems. Such architectures may support future advancements in cognitive assessment, neurological monitoring, and intelligent healthcare applications.

Nevertheless, challenges related to interpretability, biological complexity, computational requirements, and ethical data management remain significant. Future research should focus on developing transparent AI models, improving adaptive neural learning capabilities, and validating intelligent EEG systems through practical applications.

Ultimately, intelligent neural computing architectures represent an important research direction for bridging human brain science and artificial intelligence. Continued interdisciplinary collaboration between neuroscience, machine learning, and computational engineering will be essential for achieving reliable and effective brain optimization technologies.

REFERENCES

1. Akhtar, Z. B. (2024). The design approach of an artificial intelligent (AI) medical system based on electronic health records (EHR) and priority segmentations. *The Journal of Engineering*, 2024(4), e12381. <https://doi.org/10.1049/tje2.12381>
2. Akhtar, Z. B. (2025). Artificial intelligence within medical diagnostics: A multi-disease perspective. *Artificial Intelligence in Health*, 1–19. <https://doi.org/10.36922/aih.5173>
3. Akhtar, Z. B., & Rozario, V. S. (2020). The design approach of an artificial human brain in digitized formulation based on machine learning and neural mapping. In *2020 International Conference for Emerging Technology*, 1–7. <https://doi.org/10.1109/INCET49848.2020.9154000>
4. Asif, M., Choudhary, P., & Dandawate, A. A. (2025). Computational neuroscience: Recent advancement. In S.
5. Verzelli, P., Tchumatchenko, T., & Kotaleski, J. H. (2024). Editorial overview: Computational neuroscience as a bridge between artificial intelligence, modeling and data. *Current Opinion in Neurobiology*, 84, 102835. <https://doi.org/10.1016/j.conb.2023.102835>
6. Ramamurthy, K., Gumber, S., Abdelfattah, W.M. et

al. Human AI trust modeling in cognitive systems via ensemble learning and advanced feature engineering. *Discov Artif Intell* 6, 366 (2026). <https://doi.org/10.1007/s44163-026-01255-7>

7. Philip, P. G. (2026). Artificial Intelligence–Driven Intelligent Project Management: an integrated framework for planning, scheduling and control in engineering and construction projects. *Journal of Engineering and Artificial Intelligence*, 02(02), 01–09. <https://doi.org/10.64142/jeai.2.2.50>
8. Chowdhury, W. A. (2025). Blockchain for Sustainable Supply Chain Management: Reducing Waste Through Transparent Resource Tracking. *Journal of Procurement and Supply Chain Management*, 4(2), 28–34. <https://doi.org/10.58425/jpscm.v4i2.435>
9. S. R. Lankala, M. R. Marri, A. Jain, G. G. Battu, U. Lakhina and S. Singla, "Optimal Financial Fraud Detection and Alerting Mechanism in Cloud Computing Using Deep Belief Network," 2025 International Conference on Emerging Trends in Networks and Computer Communications (ETNCC), Windhoek, Namibia, 2025, pp. 743-748, doi: 10.1109/ETNCC66224.2025.11299665.